MSSISSIPPI WEATHER GROP REPORT 1970-1979

MISSISSIPPI CROP AND LIVESTOCK REPORTING SERVICE

MISSISSIPPI WEATHER AND CROP REPORT 1970-1979

COMPILED BY

MISSISSIPPI CROP AND LIVESTOCK REPORTING SERVICE
P. O. BOX 980, JACKSON, MISSISSIPPI
DICK KNIGHT, STATISTICIAN IN CHARGE
JIMMY STEPHENSON, EDITOR

U.S. DEPARTMENT OF AGRICULTURE ECONOMICS, STATISTICS AND COOPERATIVES SERVICE WM. E. KIBLER, DEP. ADM. STATISTICS

MISS. DEPARTMENT OF AGRICULTURE AND COMMERCE
JIM BUCK ROSS, COMMISSIONER

THE MISSISSIPPI COOPERATIVE EXTENSION SERVICE DR. W. M. BOST, DIRECTOR


U. S. DEPARTMENT OF COMMERCE
NATIONAL WEATHER SERVICE
TICE WAGNER III, METEOROLOGIST IN CHARGE


Weather data for this publication were furnished by the Weather Bureau State Meteorologist, much of which came from Cooperative Weather Observers.


Special acknowledgement is given to these cooperative Weather Observers and County Agricultural workers for their valuable contributions which made this report possible.


TABLE OF CONTENTS


WEAT	HER .	PAGE
	Precipitation	1
	Temperature	2
	Freeze Dates	3-5
	Fieldwork	6
	Plowing	6
CROP		
•	1979 Crop Summary	7-10
	Mississippi Crop Calendar	10
	Soybeans	11-13
	Cotton	14-17
	Rice	18-19
	Corn	20-21
	Wheat	22-23
	Sorghum	24-25
	Hay Crops	26
	Sweetpotatoes	27
	Peanuts	28
	Pecans	28
	Peaches	29
	Watermelons	29











	AVERAGE			FIELDWO	RK, MISSISS	IPPI, 19	77, 1978		79
Week	1977	1978	1979	Av-	Week	1977	1978	1979	Av-
Ending			1/	erage	Ending	<u> 1</u> /	1/		erage
Jan. 7	0.4	1.9	0.5	0.9	July 8	6.0	6.1	6.3	6.1
14	0.6	0.6	0.8	0.7	15	4.8	5.7	1.7	4.1
21	0.4	0.1	0.6	0.4	22	5.1	6.0	2.6	4.6
28	1.2	0.2	0.5	0.6	29	4.0	5.2	1.3	3.5
Feb. 4	0.8	0.1	0.3	0.4	Aug. 5	4.2	6.1	3.3	4.5
11	3.7	1.1	0.3	1.7	12	5.5	4.9	4.9	5.1
18	4.5	1.8	2.5	2.9	19	4.9	5.8	5.5	5.4
25	3.3	2.9	1.6	2.6	26	5.5	6.1	4.6	5.4
Mar. 4	2.0	1.8	0.6	1.5	Sep. 2	5.8	4.5	4.7	5.0
11	1.7	1.0	1.3	1.3	9	4.4	6.1	5.2	5 .2
18	3.2	2.0	2.9	2.7	16	2.7	3.7	4.1	3.5
25	4.1	4.0	3.6	3.9	23	4.2	5.8	1.9	4.0
Apr. 1	2.6	5.7	3.7	4.0	30	2.8	4.6	5.0	4.1
8	1.6	6.1	1.2	3.0	Oct. 7	5.1	5.6	5.3	5.3
15	5.9	2.9	1.2	3.3	14	3.8	5.8	5.4	5.0
22	2.0	4.1	3.7	3.3	21	6.0	6.2	6.1	6.1
29	4.7	5.0	0.9	3.5	28	3.6	6.0	3.3	4.3
May 6	3.8	0.9	3.0	2.6	Nov. 4	2.8	6.4	5.3	4.8
13	5.4	0.8	3.4	3.2	11	2.9	5.4	5.0	4.4
20	6.2	2.5	5.0	4.6	18	3.9	4.3	5.0	4.4
27	6.1	5.2	4.5	5.3	2 5	0.4	4.0	2.7	2.4
June 3	5 .9	4.3	1.6	3.9	Dec. 2	0.4	2.0	2.0	1.5
10	6.2	2.0	2.6	3.6	9	2.7	1.7	4.1	2.8
17	4.3	5.3	5.8	5.1	16	1.7	3.3	2.5	2.5
24	5.8	4.9	5.7	5.5	23	3.1	1.6	2.9	2.5
July 1	6.0	6.1	5.5	5.9	30	2.5	1.7	3.0	2.4

1/ Data for week most comparable to 1979 data.

P	PLOWING: APPROXIMATE				NT COMP	LETED BY	SPECII	SPECIFIED DATES, MISSISSIPPI, 1970-1979						
Date	the state of the s	1970	1971	1972	1973	1974	1975	1976	1977	1978	1979	Av- erage		
Feb.	20	23	15	19	8	2000 Miles	e- e-	17	22	11		16		
	28	27	16	23	13	10		26	35	14		21		
Mar.	10	28	17	33	19	27	10	40	39	20	24	26		
	20	30	20	38	19	47	19	44	46	25	33	32		
	30	31	23	44	23	54	27	49	57	42	43	39		
Apr.	10	en 4m	han only		30	***	37	59	65	71	46	51		
	20	p== 1644	KZW MHF		33	***	46	79	77	80	54	62		

⁽⁻⁻⁾ Not asked.

1979 CROP SUMMARY

JANUARY: Soil moisture over most of the state was generally "surplus" early in the month increasing to "surplus to excessive" by month's end. A severe midmonth ice storm in the northern part of the state damaged pecan and fruit trees. Wet and generally cold weather caused cattlemen to depend heavily on feeding. Wet weather also hindered land preparation during the month. Winter wheat conditions deteriorated from "fair" at the beginning of the month to "fair to very poor" by the end of the month. Hay and roughage supplies were mostly "adequate to short" at month's end while feed grain supplies were mostly "short to adequate".

FEBRUARY: Generally heavy rainfall and some sleet covered the state during the month. Feeding and caring for livestock continued to be the main farm activities, however some land preparation was underway where fields were dry enough. Very little winter grazing was available during the month depleting hay and roughage supplies to "short to very short". Feed grain supplies rated from "adequate to short" by month's end. The rain and freezing temperatures during the month contributed to the decline in winter wheat conditions to mostly "poor" by the end of the month.

MARCH: Rains throughout the month hampered land preparation over most of the state. When weather conditions permitted farmers were actively preparing for spring planting. By the end of the month 43 percent of the acreage intended for spring planting had been plowed. Soil moisture was generally "adequate" in the southern third of the state and "surplus" elsewhere. By month's end about 18 percent of the winter wheat acreage was jointing and the crop was in "fair to good" condition. Twenty-one percent of the corn crop was planted by the end of the month. Pastures and livestock closed out the month in "fair" condition.

APRIL: A deluge at midmonth in the Upper Pearl River Basin caused extensive flooding in the Pearl River Valley from Jackson, Mississippi to near the Coast. Dubbed the Easter Flood, it was the worst since records were started. Soil moisture was generally "surplus to excessive" during the month. Land preparation and planting of cotton and rice lagged well behind average at the end of the month. By month's end cotton was 9 percent planted, average 29 percent and rice, 23 percent planted, average 56 percent. Soybean acreage was 1 percent planted; corn acreage, 53 percent; sorghum acreage, 4 percent; peanut acreage, 1 percent; sweetpotato acreage, 7 percent; and watermelons, 76 percent. Winter wheat acreage was 75 percent headed and 2 percent ripe and the crop was in "good to fair" condition. Peaches were in "good to fair" condition. Pastures were in "good" condition.

MAY: Soil moisture was generally "surplus to excessive" early in the month and "adequate" by month's end. Plantings for most crops continued to lag behind the average until midmonth. As the weather cleared and fields dried farmers rushed to complete soil preparation and planting. Most crop plantings were equal to or ahead of average by month's end. Cotton and corn planting were virtually complete by month's end. Farmers lagged behind average planting for rice, 87 percent planted, compared to 92 percent average. By month's end soybeans were 35 percent planted; sorghum, 55 percent; peanuts, 81 percent; and sweetpotatoes, 55 percent. Harvesting began for winter wheat with 9 percent harvested. Hay was 17 percent harvested. Pasture and most crops were in "good to fair" condition, however, cotton was only in "fair" condition.

JUNE: Rains early in the month slowed planting progress, but drier weather during the last half of the month allowed farmers to virtually complete planting of soybeans, sorghum and sweetpotatoes and to move along rapidly with wheat and hay harvesting. Soil moisture supplies were mostly "adequate to short" at the close of the month. On June 30 soybean acreage was 82 percent up to stand; cotton was 66 percent squaring; and corn was 58 percent silked. Hay crops were 42 percent harvested; peaches, 27 percent; and water-melons, 9 percent. Crops were in generally "fair to good" condition, and pasture conditions were mostly "good".

JULY: Rains began midmonth hampering weed control in cotton and soybeans. Some crops in poorly drained fields and in creek bottoms were damaged by standing water. Insect pressure increased late in the month and farmers applied insecticides where field conditions permitted. Soil moisture was mostly "surplus" throughout the month. Crop development was generally behind average progress. Soybean acreage was 48 percent blooming and 16 percent podding. Cotton acreage was 86 percent blooming and 55 percent setting bolls. Rice acreage was 18 percent headed. Watermelons were 74 percent harvested; peaches, 74 percent; and hay crops, 55 percent. Crops were generally in "fair to good" condition.

AUGUST: Widely scattered showers over the state during the month brought some relief from the generally high temperatures. As fields dried farmers were able to apply herbicides and cultivate late soybeans. Soil moisture supplies closed out the month mostly "adequate". Favorable growing conditions helped speed along crop development bringing most crop progress up to average. Cotton development however lagged behind the average with only 3 percent of the acreage with open bolls, average 12 percent. Rice acreage was 22 percent mature by month's end. Harvesting of corn, sorghum, sweetpotatoes and peanuts was underway by the end of the month. Crops and pastures closed out the month in generally "good" condition.

SEPTEMBER: Hurricane Frederic caused extensive damage to pecan and fruit trees and blew over some soybeans in the southeastern portion of the state. Humid conditions during the month caused some lower boll rot in cotton. Soil moisture was mostly "adequate" during the month. Late maturing cotton and soybeans delayed harvest. Farmers just began to harvest in earnest by month's end. By September 30, 50 percent of the corn acreage was harvested; rice, 50 percent; sorghum, 38 percent; sorghum silage, 80 percent; and sweetpotatoes, 41 percent. Winter wheat planting began during the month with 18 percent of the acreage planted by month's end.

OCTOBER: Cool, dry weather prevailed over the state providing favorable harvest conditions throughout the month. By month's end soil moisture ranged from "adequate to short" over most of the state. Cotton harvesting was behind the average with 41 percent of the acreage harvested, average, 54 percent. Soybean harvesting progressed rapidly during the month with 49 percent of the acreage harvested by month's end. Harvesting of rice, sorghum, hay crops and peanuts was virtually completed by the end of the month. Corn was 86 percent harvested, and sweetpotatoes were 85 percent harvested. Winter wheat was 60 percent planted by month's end. Most crops and pastures rated in "fair to good" condition, and pecans were in "poor" condition.

NOVEMBER: Harvesting continued to be the major activity during the first part of the month with harvest winding to a close at month's end. Soil moisture was mostly "adequate" during the first of the month and "surplus" during the last half of the month. Soybean acreage was 94 percent harvested by month's end; cotton, 88 percent; and pecans, 75 percent. Winter wheat planting was 93 percent complete and the crop was in "good to fair" condition. Pastures and livestock were in "fair to good" condition at the close of the month.

DECEMBER: Farmers had generally completed harvesting by midmonth. Winter wheat planting was virtually completed by midmonth and the crop was in "good to fair" condition. Some supplemental feeding of livestock was under way. Hay and roughage, and feed grain supplies were "adequate". Soil moisture supplies at the close of the month were "adequate to surplus".

	г		MI	SSISSI	PPI CR	OP CAL	ENDAR				
Jan.	Feb.	Mar,	Apr.	May	June	Ju1y	Aug.	Sept.	Oct.	Nov.	Dec.
									7.0-		
		Ē							•		
					lanted			E			
	Jan.	Jan. Feb.	Jan. Feb. Mar,					Jan. Feb. Mar. Apr. May June July Aug.			

SOYBEANS

Soybeans have become Mississippi's major cash crop and were planted on more of the state's cropland than any other crop. During 1978, approximately 3,800,000 acres of soybeans were harvested producing 81,700,000 bushels. In 1979, 4,100,000 acres of soybeans were harvested with a production of 118,900,000 bushels. Mississippi ranked 8th in the nation in production in 1979. Cash receipts for 1978 totaled \$518,173,000. Mississippi ranked 8th in the nation in cash receipts from soybeans. 1/2

ė k	SOYBE	ANS: APPRO	OXIMATE	PERCENT OF	STATE ACRE	AGE IN OR	PAST DESIGNA	ATED STAG	E, 1979
Date		Planted	Up to	Blooming			Shedding		Har- vested
Apr. May	30 10 20 30	1 4 15 35	5 20						
June	10 20 30	47 80 95	35 51 82	ver file den der inn den gen den den den den bek				· · · · · · · · · · · · · · · · · · ·	
July	10 20 30	98	92	5 26 48	16	· • • • • • • • • • • • • • • • • • • •		· · · · · · · · · · · · · · · · · · ·	
Aug.	10 20 30			78 95	37 58 83	1 8	1	. ~	,
Sept.					97	24	9 34 60	9 18	1 4
Oct.	10 20 30		v dan den ger van mee plak geen d	ann 40 ann an 10	TO ME SEE AND		80 97	37 67 86	12 32 49
Nov.	10 20 30	· — and nor the not can use on the su	a mana kata agan kar anta anta agan a		~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~			: m == == வ ப பி பட் பட்	70 87 94
Dec.	10				THE AND PASS TAYS DOES NOT THE OWN THE SAME		. Here have then now that that have been that the		98 100

^{1/} Cash receipts not yet available for the 1979 crop.

SOYBEANS: APPROXIMATE PERCENT OF STATE ACREAGE PLANTED BY SPECIFIED DATES.
MISSISSIPPI, 1970-1979

Date		1970	1971	1972	1973	1974	1975	1976	1977	1978	1979	Avg.
Apr.	30	oʻ	4	1	***	pan apa	1		3	3	1	2
May	10	12	7	6	. 1	6	3	11	21	4	4	8
	20	23	18	11	5	29	. 8	35	49	12	15	21
	30	54	35	51	21	41	24	61	60	42	35	42
June	10	68	63	79	57	46	53	80	72	67	47	63
	20	88	79	86	75	48	68	90	80	83	80	78
	30	93	سبب عند	em ner	86	66	87	96	91	94	95	89
July	10	ann den	edie dem	vinus 1969	96	85	95	99	95	98	98	95

(--) Not asked.

SOYBEANS: APPROXIMATE PERCENT OF STATE ACREAGE BLOOMING BY SPECIFIED DATES,
MISSISSIPPI, 1970-1979

Date	,	1970	1971	1972	1973	1974	1975	1976	1977	1978	1979	Avg.
July	20	ern nov	 –	and Bar	Mer Mile	11	14	25	44	34	26	26
	30	53	44	37	van etr	31	34	58	72	59	48	48
Aug.	10	60	57	59	xw	53	58	85	87	80	78	69
	20	major March	62	63	ADD AVAI	e7 F*	79	94	95	94	95	83

(--) Not asked.

SOYBEANS: APPROXIMATE PERCENT OF STATE ACREAGE MATURE BY SPECIFIED DATES.

MISSISSIPPI, 1970-1979

Date	1970	1971	1972	1973	1974	1975	1976	1977	1978	1979	Avg.
Sept. 20	16	13	16	9	## +*P	8	6	23	17	9	13
30	20	21	21	21	yan aya	16	28	37	33	18	24
Oct. 10	27	27	47	45		32	46	55	5 2	37.	41
20	43	49	53	58	MOV 8000	52	71	69	77	67	60
30	ror éta-			81		77	95	90	95	86	87

(--) Not asked,

SOYBEANS: APPROXIMATE PERCENT OF STATE ACREAGE HARVESTED BY SPECIFIED DATES, MISSISSIPPI, 1970-1979

Date		1970	1971	1972	1973	1974	1975	1976	1977	1978	1979	Avg.
Sept.	20	9	1	3	1	3	1	1	4	3	1	3
	30	13	6	8	4	5	4	6	12	12	4	7
Oct.	10	18	16	18	12	11	11	18	23	21	12	16
	20	22	28	33	20	18	23	35	37	39	32	29
	30	27	42	41	41	34	41	56	54	66	49	45
Nov.	10	43	75	50	57	58	55	76	68	86	70	64
	20	53	91	51	73	70	75	87	80	95	87	76
	30	74	95	59	83	80	86	95	83	98	94	85
Dec.	10	92	98	64	92	89	92	98	85	99	98	91
	20	96	99	67	97	94	97	99	92	100	100	94
	30	100	100	68	100	95	98	100	96	100	100	96

COTTON

Though cotton acreage has decreased in recent years, cotton is still the second major cash crop in the state. There were 1,150,000 acres of cotton harvested in Mississippi during 1978, producing 1,378,000 bales. In 1979 an estimated 1,030,000 acres of cotton were harvested in Mississippi with a production of 1,450,000 bales. Mississippi ranked 3rd in the nation in cotton production for 1979. Mississippi ranked 3rd in 1978 in the nation in cash receipts with \$372,337,000 from cotton lint and \$58,286,000 from cotton seed. 1/

C	OTTON:	APPROXIM	ATE PERCE	NT OF STATE	ACREAGE IN O	R PAST DESI	GNATED ST	AGE, 1979
)ate_		Planted	Up to		Blooming	Setting	Open	
lpr.	20 30	2 9	4					
May	10 20 30	30 80 98	10 42 83				## ## W. W. W. ## ## ## ## ## ##	
June	10 20 30	200	9.8	2 27 66	7			** ** ** ** ** ** ** ** ** ** **
July	10 20 30	000 day 100 gov 100 go		84 95 98	28 60 86	3 31 55		
\ug.	10 20 30				99	87 98	1 3	
Sept.						The second secon	22 56 89	0 2
ct.	10 20 30	99 ENI ETRI ETC PAR (ANI CAN ANI ANI ANI ANI	for Air and also story was usen than good of	N AM JAC AND NO. AND NO. AND NO. AND NO. AND NO.	** *** *** *** *** *** *** *** *** ***		93 99	9 26 41
ov.	10 20 30						~ • • • • • • • • • • • • • • • • • • •	61 76 88
ec.	10	er than _{equ} air ann _e us feòr agus yeur yeur agus a	nor and here yeen 1950 which show many halles at	v (n)+ mm A2 (n)+ pm A1+ mm an 60d mm am a				95 98

^{1/} Cash receipts not yet available for the 1979 crop.

COTTON: APPROXIMATE PERCENT OF STATE ACREAGE PLANTED BY SPECIFIED DATES,
MISSISSIPPI, 1970-1979

										· ·		
Date	· .	1970	1971	1972	1973	1974	1975	1976	1977	1978	1979	Avg.
Apr.	20	8	6	18	0	3	1	22	11	10	2	8
	30	25	21	57	4	29	14	55	35	45	9	29
May	10	51	55	76	21	78	24	81	83	54	30	55
	20	91	69	92	56	94	56	94	97	78	80	81
	30	99	ant and		95	97	90	98	99	98	98	97
					· · · · · · · · · · · · · · · · · · ·							

⁽⁻⁻⁾ Not asked.

COTTON: APPROXIMATE PERCENT OF STATE ACREAGE UP TO STAND BY SPECIFIED DATES,
MISSISSIPPI, 1970-1979

Date	· · · · · · · · · · · · · · · · · · ·	1970	1971	1972	1973	1974	1975	1976	1977	1978	1979	Avg.
Apr.	30	was see	4	19	M++ +44+	7	2	9	12	7	4	8
May	10	23	23	51	6	46	12	31	53	28	10	28
	20	62	43	70	22	77	32	60	84	45	42	54
	30	F- F-0		ay a. .	62	90	68	83	96	84	83	57

⁽⁻⁻⁾ Not asked.

COTTON: APPROXIMATE PERCENT OF STATE ACREAGE IN OR PAST SQUARING STAGE BY SPECIFIED DATES
MISSISSIPPI, 1970-1979

Date		1970	1971	1972	1973	1974	1975	1976	1977	1978	1979	Avg.
Мау	30	7	3	1	0	0	0	0	9	0	Mark sine	2
June	10	12	4	. 10	3 •	6	3	2	34	5	2	8
	20	32	9	39	12	34	10	10	71	32	27	28
	30	60	41	64	35	62	45	36	88	72	66	57
July	10	77	64	84	65	77	59	73	95	90	84	77
	20	93	86	96	84	92	75	91	98	98	95	91
	30	99	96	99	96	98	95	97	100	100	98	98

⁽⁻⁻⁾ Not asked.

COTTON: APPROXIMATE PERCENT OF STATE ACREAGE SETTING BOLLS BY SPECIFIED DATES,
MISSISSIPPI, 1970-1979

Date	è	1970	1971	1972	1973	1974	1975	1976	1977	1978	1979	Avg.
June	20	5	1	3	Man depar			. - -	4	0	***	3.
	30	17	14	8		8		w-	22	1		12
July	10	43	23	50		31		4	56	7	3	27
	20	67	67	73	53	5 2	31	19	76	30	31	50
	30		ear		89	78	50	34	89	75	55	67
Aug.	10	prop. 1414			97	92	89	80	97	98	87	91
	20	por ass		40- 407	98	96	94	93	99	99	98	97

⁽⁻⁻⁾ Not asked.

COTTON: APPROXIMATE PERCENT OF STATE ACREAGE WITH OPEN BOLLS BY SPECIFIED DATES,
MISSISSIPPI, 1970-1979

Date		1970	1971	1972	1973	1974	1975	1976	1977	1978	1979	Avg.
Aug.	20	Ž.	0	1	0	2	0	1	16	6	1	3
	30	5	1	7	2	6	4	6	49	39	3	12
Sept.	10	12	6	19	7	20	19	23	80	77	22	29
	20	29	16	36	19	29	41	57	93	87	56	46
	30	45	27	64	42	5 2	69	81	96	94	89	66
Oct.	10	66	49	80	64	62	87	91	98	98	93	79
	20	77	65	85	78	72	90	96	99	99	99	86
	30	, m	new spie	98	87		92:	98	100	100	100	96

⁽⁻⁻⁾ Not asked.

COTTON: APPROXIMATE PERCENT OF STATE ACREAGE HARVESTED BY SPECIFIED DATES, MISSISSIPPI, 1970-1979

Date		1970	1971	1972	1973	1974	1975	1976	1977	1978	1979	Avg.
Sept.	20	6	1	7	1	1	1	1	14	5	0	4
	30	11	2	14	4	3	2	3	28	20	2	9
Oct.	1.0	20	10	31	13	15	6	12	45	47	9	21
oct.	20	28	31	61	26	24	11	38	65	74	26	38
	30	30	47	73	54	46	24	61	80	88	41	54
Nov.	10	45	74	80	68	65	39	79	88	95	61	69
	20	56	89	82	84	72	61	89	94	99	76	80
	30	73	96	85	89	79	76	96	96	100	88	88
Dec.	10	93	98	86	95	86	85	98	97	100	95	93
	20	98	99	87	99	89	92	99	99	100	98	96

RICE

Rice production decreased from 1978 to 1979 with the number of acres harvested decreasing from 215,000 acres and 9,138,000 cwt. produced in 1978 to 207,000 acres harvested and 8,384,000 cwt. produced in 1979. Cash receipts for 1978 were \$70,063,000. 1/2

	RICE:	APPROXIMATE PE	RCENT OF STATE	ACREAGE IN OR	PAST DESIGNATED	STAGE, 1979
Date	wagendy was are accompanied to be being a second of the se	Planted	Up to Stand	Headed	Mature	Harvested
Apr.	20 30	8 23	1 9			
May	10 20 30	41 67 87	21 47 66			
June	10 20 30	97	90			
July	10 20 30	and the state of t		1 6 18	· · · · · · · · · · · · · · · · · · ·	
Aug.	20 30	~ 10 ~ 10 80 10 10 10 10 10 10 10 10 10 10 10 10 10		34 70 87	22	2
Sept	20 30			95	42 64 91	12 27 55
Oct.	10 20 30		and the set of the set			68 83 95

^{1/} Cash receipts not yet available for the 1979 crop.

RICE: APPROXIMATE PERCENT OF STATE ACREAGE PLANTED BY SPECIFIED DATES, MISSISSIPPI, 1970-1979

Date		1970	1971	1972	1973	1974	1975	1976	1977	1978	1979	Avg.
Apr.	20				·	24	7	61	39	63	8	34
	30		9	71		73	36	74	75	86	23	56
May	10	46	67	81	20	89	38	86	86	90	41	64
	20	66	71	97	61	94	48	92	98	95	67	79
	30	 =			90	99	7.5	98	100	98	87	92

⁽⁻⁻⁾ Not asked.

RICE: APPROXIMATE PERCENT OF STATE ACREAGE HARVESTED BY SPECIFIED DATES, MISSISSIPPI, 1970-1979

					20 -00 -00 -00 -00 -00 -00 -00 -00 -0	<u> </u>					 	
Date	······	1970	1971	1972	1973	1974	1975	1976	1977	1978	1979	Avg.
Sept.	10	0	0	1	1	2	4	3	23	26	12	7
	20	10	18	27	11	13	18	12	44	44	27	22
	30	36	64	55	32	37	43	37	68	63	55	49
Oct.	10	47	86	89	56	67	56	73	80	87	68	71
	20	52	100	97	80	91	66	90	88	97	83	84
	30	,	100	100	95	99	81	97	95	99	95	96

⁽⁻⁻⁾ Not asked.

CORN

The 1979 corn production decreased from the previous year to 5,720,000 bushels produced from 110,000 acres harvested for grain. In 1978 cash receipts from corn totaled \$4,984,000 ½ with 135,000 acres harvested for grain producing 7,560,000 bushels.

. (CORN:	APPROXIMATE	PERCENT OF	STATE ACRE		AST DESIGNAT	ED STAGE, 19	79
7		Planted	Up to	0.11	Dough	**		Har-
Date		rianted	Stand	Sliked	Stage	Dented	Mature	vested
Mar.	10	2						
	20	10						
	30	21						
Apr.	10	31				and the pain had all the sale again the top the sale and		
1	20	45	28					
	30	53	39					
May	10	67	 49				·	
3	20	84	63					
	30	93	83					
June	10	96	93	14				
	20	- 4	- ALD	33				
	30			58	21			
~ ~ ~ ~ . T 1	10		مين خود الدين مين مين مين الدين الدين 					** * * * * * * * * * * * * * * * * * *
July	20			72	35 5.5			
	30			87 97	55 72	42		
PM 607 Dun 440 (4		New 1270 This 2004 AND AND 2004 HIGH HIGH HIGH GOAD CENT		<i>71</i> ~~~~~~	/	+2 		
Aug.	10				96	72	32	
	20					91	42	6
	30						58	10
Sept.		were east form field cone may seem also pass come space about proje					85	21
-	20						00	42
	30							50
Oct.	10	with this talk year two ever their distribute one year over and	والمراجع المنافع المواجعة المراجعة المر					66
,	20							77
	30							86
Nov.	10	COO AND MAY NOT YOUR AND MAY DOD THE MAY AND AND		~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~		* ** ** ** ** ** ** ** ** ** ** ** ** *	w and then each little gap this star you half some place .	93
	20							93 97
	30							100
*** == == == == ==		***	· · · · · · · · · · · · · · · · · · ·			·		100

^{1/} Cash receipts not yet available for the 1979 crop.

CORN: APPROXIMATE PERCENT OF STATE ACREAGE PLANTED BY SPECIFIED DATES,
MISSISSIPPI, 1970-1979

Date	·····	1970	1971	1972	1973	1974	1975	1976	1977	1978	1979	Avg.
Mar.	30				2	***	17	16	18	22	21	16
Apr.	10	w m	8	16	11	21	19	33	27	40	31	23
	20	20	28	34	18	29	24	56	56	63	45	37
	30	34	43	58	24	51	39	74	72	73	53	5 2
May	10	58	63	71	34	70	47	88	87	81	67	67
	20	70	71	81	55	84	62	91	94,	90	84	78
	30	90	88	92	76	90	81	96	98	96	93	90
June	10	95	94	95	91	91	93	98	99	98	96	95
	20	99	97	97	96	92	98	99	100	99	98	98

(--) Not asked.

CORN: APPROXIMATE PERCENT OF STATE ACREAGE SILKED BY SPECIFIED DATES, MISSISSIPPI, 1970-1979

Date		1970	1971	1972	1973	1974	1975	1976	1977	1978	1979	Avg.
June	30			32	20		29	34	65	60	58	43
July	10	56	53	58	31	61	48	60	78	88	72	61
	20	77	78	81	53	68	71	83	89	93	87	78
	30		- -		71	78	77	94	97	97	97	87

(--) Not asked.

CORN: APPROXIMATE PERCENT OF STATE ACREAGE HARVESTED BY SPECIFIED DATES,
MISSISSIPPI, 1970-1979

Date		1970	1971	1972	1973	1974	1975	1976	1977	1978	1979	Avg.
Aug.	30	5	8	6	4			5	11	15	10	8
Sept.	10	18	9	12	7	17	6	12	26	26	21	15
	20	24	16	22	10	27	16	23	41	51	42	27
	30	33	19	32	26	34	25	41	53	64	50	38
Oct.	10	43	37	49	36	49	41	59	73	74	66	53
	20	56	51	68	48	63	61	72	81	80	77	66
	30	68	67	77	72	71	76	81	85	89	86	77
Nov.	10	80	81	85	84	88	83	89	91	96	93	87
	20	83	90	88	90	90	91	95	94	99	97	92
	30	90	96	89	93	94	96	97	96	100	100	95
Dec.	10	95	98	92	97	96	98	98	97	100	100	97

(--) Not asked.

WHEAT

During 1979 115,000 acres of wheat were harvested with a production of 3,680,000 bushels. Cash receipts from winter wheat totaled \$3,722,000 for 1978. 1/2 There were 65,000 acres of wheat harvested and 2,015,000 bushels of wheat produced during 1978.

WHEAT: APPROXIMATE PERCENT OF STATE ACREAGE IN OR PAST DESIGNATED STAGE, 1979

<u>Date</u>		Jointing	Headed	Ripe	Harvested	Planted*
Mar.	10 20 30	2 8 18				
Apr.	10 20 30	59 89	19 75	2		
May	10 20 30		90	11 21 51	1 9	
June	10 20 30			80 99	17 73 95	
Sept.	20 30					12 18
Oct.	10 20 30				60 das lath and var ears and did late the case van dar der film and the film and th	31 45 60
Nov.	10 20 30					78 86 93
Dec.	10	क की भी भी क्षेत्र होंगे हम का बात अब आप तथा तथा का का भी का तिस्त्र े	and were the seed and then have trans state and were one have under the dark		er per per son son our per ene per ene per ene per ene ene ene ene ene	97

 $[\]underline{\mathcal{Y}}$ Cash receipts not yet available for the 1979 crop. * 1980 Crop

WHEAT: APPROXIMATE PERCENT OF STATE ACREAGE PLANTED BY SPECIFIED DATES,
MISSISSIPPI, 1970-1979

Date		1970	1971	1972	1973	1974	1975	1976	1977	1978	1979	Avg.
Sept.	20			200 200	~ ,₩	· - =	1.3	18	14	18	12	15
	30		~ ~ .	- -	~ =	= =.+.,	28	31	31	33	18	2,8
Oct.	10	de es	···	 -	we ma	30	47	49	39	46	31	40
	20	/ <u></u>			***	55	64	65	58	53	45	5.7
	30	60	60	****	67	65	79	78	73	64	60	67
Nov.	10	85	79	60	82	74	84	90	79	69	78	78
	20	40-50-			84	90	90	93	93	79	86	88

(--) Not asked.

WHEAT: APPROXIMATE PERCENT OF STATE ACREAGE HARVESTED BY SPECIFIED DATES,
MISSISSIPPI, 1970-1979

Date		1970	1971	1972	1973	1974	1975	1976	1977	1978	1979	Avg.
Мау	20	4	1	1	# *			2	2	1	1	2
	30	20	3	18		17	abys MAN-	6	26	9:	9	14
June	10	44	19	80	49	35	45	46	82	26	17	44
	20	76	54	89	80	60	72	85	94	70	73	75
	30	99	pus emb	over our	95	94	94	95	99	94	95	96

(--) Not asked.

SORGHUM

There were 74,000 acres of sorghum planted for all purposes in 1979 and of that 33,000 acres were harvested for grain. Production was estimated to be 1,452,000 bushels. Sorghum production for grain was 798,000 bushels for 1978. There were 65,000 acres planted for all purposes and of that 21,000 acres were harvested for grain. Cash receipts from sorghum for grain were \$791,000 in 1978. 1/

SO	RGHUM:	APPROXIMATE PERCENT (OF STATE ACREAGE	IN OR PAST DES	IGNATED STAGE, 1979
Date	an wang apan dina consumité or 1988 (1986 (1986)	Planted	Headed	Ripe	Harvested
Apr.	30	4			
May	10 20 30	14 29 55			
June	10 20 30	61 78 94		~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	
July	10 20 30	97	11 28 40		
Aug.	10 20 30		60 80	15 35	2 8
Sept.	10 20 30			54 7 2 81	21 28 38
Oct.	10 20 30	nto and tota cent and and pas are ret and and the time tota and and and and and and and and and			71 86 93

¹/ Cash receipts not yet available for the 1979 crop.

SORGHUM: APPROXIMATE PERCENT OF STATE ACREAGE PLANTED BY SPECIFIED DATES, MISSISSIPPI, 1970-1979

Date		1970	1971	1972	1973	1974	1975	1976	1977	1978	1979	Avg.
Apr.	30	dades about	par ess	15	-	3	4	8	9	4	4	7
Мау	10	25	28	27	8	9	8	26	24	12	14	18
	20	40	41	44	16	29	20	49	49	35	29	35
	30	63	58	67	41	54	34	63	63	51	55	55
June	10	71	75	81	66	60	57	75	74	65	61	69
	20	83	84	89	80	66	72	84	79	79	78	79
	30	91			90	7 2	90	90	84	88	94	87
July	10	,,, and	alia play		94	85	95	95	92	94	97	93

⁽⁻⁻⁾ Not asked.

SORGHUM: APPROXIMATE PERCENT OF STATE ACREAGE HARVESTED BY SPECIFIED DATES, MISSISSIPPI, 1970-1979

Date		1970	1971	1972	1973	1974	1975	1976	1977	1978	1979	Avg.
Aug.	30	15	7	20	4	11	17	21	21	19	8	14
Sept.	10	24	20	36	10	32	20	29	26	29	21	25
	20	45	45	41	28	42	34	43	47	42	28	40
	30	59	52	58 .	42	59	43	67	61	70	38	5:5
Oct.	10	62	66	67	49	61	62	83	75	83	71	68
	20	67	74	76	65	83	74	88	83	92	86	79
	30	72	84	93	85	87	87	94	90	97	93	88
Nov.	10	84	92	95	*** ***	90	93	96	95	99		93

⁽⁻⁻⁾ Not asked.

HAY CROPS

In 1979 hay production (all types) totaled 1,287,000 tons from 660,000 acres. Hay production (all types) totaled 1,193,000 tons from 645,000 acres in 1978 with cash receipts of \$6,916,000. 1/

HAY CROPS: APPROXIMATE PERCENT OF STATE ACREAGE HARVESTED BY SPECIFIED DATES, MISSISSIPPI, 1970-1979

			, <u> </u>		LITOOL	SSIPPI,	19/0-1	7/7				
Date	······································	1970	1971	1972	1973	1974	1975	1976	1977	1978	1979	Avg.
Мау	30	26	21	25		14	*** ***	21	31	22	17	22
June	10	30	24	34	26	19	19	31	36	29	21	27
	20	36	37	37	36	25	24	34	39	36	3 2	34
	30	40	44	42	40	28	29	40	45	43	42	39
July	10	43	53	46	50	33	36	46	48	49	48	45
	20	48	60	49	59	40	45	49	51	56	53	51
	30	56	63	52	63	49	49	59	5 2	61	55	56
Aug.	10	60	65	59	68	56	50	68	57	68	61	61
	20	64	67	67	76	62	59	70	63	75	71.	67
	30	72	68	71	82	68	64	76	72	79	77	73
Sept.	10	76	70	72	84	74	75	78	80	84	81	77
	20	81	72	81	89	79	78	86	82	86	84	82
	30	88	75	85	92	83	84	90	85	90	87	86
Oct.	10	91	82	91	94	87	87	92	90	93	91	90
•	20	92	90	96	95	91	90	94	92	96	95	93
	30	96	ere ero		97	94	94	97	96	98	97	96

⁽⁻⁻⁾ Not asked.

^{1/} Cash receipts not yet available for the 1979 crop.

SWEETPOTATOES

In 1979 8,800 acres harvested produced 792,000 cwt. of sweetpotatoes. Cash receipts from sweetpotatoes in 1978 were \$7,392,000 with 9,000 acres harvested and 792,000 cwt. produced. 1/

SWEETPOTATOES: APPROXIMATE PERCENT OF STATE ACREAGE PLANTED BY SPECIFIED DATES,
MISSISSIPPI, 1970-1979

Date		1970	1971	1972	1973	1974	1975	1976	1977	1978	1979	Avg.
Apr.	30		13	22		10	7	5	10	9	7	10
May	10	23	21	31	15	19	12	22	34	22	20	22
	20	41	40	39	34	38	31	43	66	53	36	42
	30	56	53	57	51	57	55	56	75	69	55	58
June	10	69	65	71	66	63	75	69	87	75	72	71
	20	83	80	81	76	75	83	81	90	89	86	82
	30	96			86	81	92	86	93	96	97	91

⁽⁻⁻⁾ Not asked.

SWEETPOTATOES: APPROXIMATE PERCENT OF STATE ACREAGE HARVESTED BY SPECIFIED DATES, MISSISSIPPI, 1970-1979

					TEUDEUU.	LLLL9 L	710-171.			· · · · · · · · · · · · · · · · · · ·		
Date		1970	1971	1972	1973	1974	1975	1976	1977	1978	1979	Avg.
Aug.	10	17	25	18	9	7	9	0	8	6	2	10
	20	24	30	27	15	18	30	4	13	16	7	18
	30	30	31	36	22	22	39	14	18	28	13	25
Sept.	10	38	35	46	24	31	41	20	29	34	22	.32
	20	46	36	53	28	40	43	28	34	37	26	37
	30	5 2	41	60	39	42	46	46	45	44	41	46
Oct.	10	58	54	63	52	60	60	62	57	5'8	. 52	58
	20	63	64	67	62	82	74	. 78	71	75	77	71
	30	Mre saw .	pro +ms	*** ***	79	89	88	93	86	87	.85	87

⁽⁻⁻⁾ Not asked.

 $[\]underline{\mathcal{Y}}$ Cash receipts not yet available for the 1979 crop.

PEANUTS

Peanut production in 1979 was estimated to be 16,185,000 pounds from 8,300 acres harvested. Cash receipts in 1978 were \$3,166,000. 1/

PEANUTS: APPROXIMATE PERCENT OF STATE ACREAGE HARVESTED BY SPECIFIED DATES, MISSISSIPPI, 1970-1979

Date		1970	1971	1972	1973	1974	1975	1976	1977	1978	1979	Avg.
Aug.	30	ones nilmi		7		34	37	21	28	24	12	23
Sept.	10	ana from		12	8	44	40	35	32	28	20	27
	20	dire ann		24	17	47	49	46	49	34	44	39
	30	unya sana		53	34	62	61	64	68	50	58	56
Oct,	10	NO MAIN		66	63	75	75	77	88	78	68	74
	20	Address stages	1-m mm	88	82	84	87	89	93	92	77	87
	30		خت بن	97	89	90		95	97	97	93	94

⁽⁻⁻⁾ Not asked.

PE CANS

Pecan production dropped drastically from 10,000,000 pounds in 1978 to 2,500,000 pounds in 1979. Cash receipts for 1978 were \$6,188,000. 1/

PECANS: APPROXIMATE PERCENT OF STATE CROP HARVESTED BY SPECIFIED DATES,
MISSISSIPPI, 1970-1979

Date		1970	1971	1972	1973	1974	1975	1976	1977	1978	1979	Avg.
Oct.	30	arr 680		00° MW		31	25	21	33	17	13	23
Nov.	10	à33 E59	pas	cjas dajs	35	41	41	36	54	43	32	40
	20	55	53	Apply 1980	57	55	56	55	68	56	55	57
	30	78	66	71	68	65	75	76	78	68	75	72
Dec.	10	86	79	86	79	84	85	91	87	76	85	84
	20	91	89	91	88	92	91	97	94	88	88	91
	30	97	que mo	92	96	95	96	99	96	Amer after	and other	96

⁽⁻⁻⁾ Not asked.

[#] Cash receipts not yet available for the 1979 crop.

^{1/} Cash receipts not yet available for the 1979 crop.

PEACHES

Peach production was 4,000,000 pounds in 1978 and 3,000,000 pounds in 1979. Cash receipts were \$640,000 in 1978. 1/

PEACHES: APPROXIMATE PERCENT OF STATE CROP HARVESTED BY SPECIFIED DATES MISSISSIPPI, 1970-1979

Date		1970	1971	1972	1973	1974	1975	1976	1977	1978	1979	Avg.
June	10	8	1	10	15	nčas drža	11	14	14	4	6	9
	20	21	20	23	29	33	19	23	30	12	12	22
	30	35	24	37	48	66	36	39	53	27	27	39
July	10	59	44	55	68	73	58	60	60	39	45	56
	20	74	65	70	79	85	73	76	77	56	55	71
	30	81	75	79	87	93	84	85	84	74	74	82
Aug.	10	85	84	90	95	the star	***	96	94	86	89	90
	20	95	90	95	99	 _	300A 4AN	99	97	91	96	95

⁽⁻⁻⁾ Not asked.

WATERMELONS

Watermelon production was 1,140,000 cwt. from 12,000 harvested acres in 1978 and 1,035,000 cwt. from 11,500 harvested acres in 1979. Cash receipts from watermelons were \$3,659,000 in 1978. 1/2

WATERMELONS: APPROXIMATE PERCENT OF STATE CROP HARVESTED BY SPECIFIED DATES,
MISSISSIPPI, 1970-1979

Date		1970	1971	1972	1973	1974	1975	1976	1977	1978	1979	Λ
Date		1770	£2/1	13/2	1973	13/4	17/7	1970	17//	17/0	17/7	Avg.
July	10	Press #21*	m ea	no		*** ***	**	22	22	19	29	23
	20	ang 1779		pps ens	43	45	33	42	44	41	51	43
	30	55	41	49	61	62	56	67	64	68	74	60
Aug.	10	67	68	68	63	76	73	87	80	84	85	75
	20	82	84	79	82		89	91	88	90	94	87

⁽⁻⁻⁾ Not asked.

 $[\]underline{y}$ Cash receipts not yet available for the 1979 crop.

^{1/} Cash receipts not yet available for the 1979 crop.

		٠		
·		(